

OSMOTIC DEHYDRATION: AN INNOVATIVE APPROACH FOR SUSTAINABLE FOOD PROCESSING

Divya Chakshu and Puneet Bagga

M.Sc. Student, Postharvest management, Department of Food Science and Technology, COH&F Neri, Hamirpur, Dr. Yashwant Singh Parmar University of Horticulture and Forestry, Nauni, Solan (HP) India.

Email: divyachakshu01@gmail.com

Corresponding other email: puneetbaggapb12345@gmail.com

Article ID: 25002

Abstract

Osmotic dehydration (OD) is an emerging and energy-efficient food preservation technique that enhances the quality, shelf life, and nutritional value of horticultural produce. Unlike conventional drying methods, OD operates at mild temperatures and relies on osmotic pressure gradients to remove water while preserving sensory attributes. This article explores the principles, innovations, applications and future potential of osmotic dehydration in modern food processing systems.



Keywords: Preservation. Osmotic dehydration, Energy.

1. Introduction

Fruits and vegetables are highly perishable due to their high moisture content, leading to significant post-

harvest losses. Traditional drying methods often degrade quality attributes such as color, flavor, and nutrients. Osmotic dehydration offers a promising alternative by partially removing water through immersion in hypertonic solutions such as sugar or salt (Asghari et al., 2024). This method not only extends shelf life but also improves product quality, making it suitable for value-added food processing industries.




FIG 1 : Principle of Osmotic Dehydration

2. Principle and Mechanism

Osmotic dehydration is based on mass transfer driven by osmotic pressure differences between the food material and surrounding solution. When food is immersed in a concentrated solution:

- Water diffuses out of the food
- Solutes diffuse into the food
- A semi-permeable cell membrane controls the exchange (Pandiselvam et al., 2022)

This results in simultaneous water loss and solid gain, a phenomenon known as counter-current diffusion (Mari et al., 2024). Unlike conventional drying, no phase change occurs, reducing energy consumption significantly (Asghari et al., 2024).

3. Key Advantages of Osmotic Dehydration

Osmotic dehydration offers several advantages over traditional drying methods:

3.1 Quality Enhancement

- Retains natural color, flavor, and aroma
- Preserves heat-sensitive nutrients

- Improves texture and appearance (Yadav & Singh, 2014)

3.2 Energy Efficiency

- No latent heat requirement
- Lower processing temperatures reduce energy demand (Asghari et al., 2024)

3.3 Product Innovation

- Enables development of intermediate moisture foods
- Produces ready-to-eat snacks like candied fruits (Chandra & Kumari, 2012)

3.4 Shelf-Life Extension

- Reduces water activity
- Inhibits microbial growth (Sriraman et al., 2021)

4. Process Parameters Influencing OD

The efficiency of osmotic dehydration depends on several factors:

- **Temperature:** Higher temperatures increase water loss rate
- **Solution concentration:** Higher concentration enhances osmotic pressure
- **Food-to-solution ratio:** Maintains effective mass transfer
- **Time:** Longer duration increases dehydration but may affect quality (Mari et al., 2024)

5. Innovative Advancements in Osmotic Dehydration

Recent technological developments have significantly improved OD efficiency:

Emerging Technologies

- **Ultrasound-assisted OD** – enhances mass transfer
- **Pulsed Electric Field (PEF)** – increases cell permeability
- **Vacuum impregnation** – improves solute penetration

- **High-pressure processing** – accelerates dehydration

These innovations reduce processing time and improve product quality. (Yadav & Singh, 2014)

6. Applications in Food Industry

Osmotic dehydration is widely used in:

- Fruit processing (apple, mango, pineapple, aonla)
- Vegetable preservation
- Dairy and confectionery products
- Ready-to-eat snacks and breakfast cereals

It also enhances sensory qualities such as sweetness, texture, and color stability. (Mari et al., 2024)

7. Challenges and Limitations

Despite its advantages, OD faces certain challenges:

- Slow mass transfer rate
- Possible sugar or salt uptake affecting taste
- Disposal or reuse of osmotic solutions
- Higher processing time compared to advanced drying (Dahiya & Rajput, 2025)

8. Future Scope and Sustainability

Osmotic dehydration has strong potential in:

- Low-cost farmer-level processing units
- Integration with technologies like Refractance Window Drying (RWD)
- Development of functional and fortified foods
- Reduction of food waste through reuse of osmotic solutions

Sustainable innovations and hybrid drying techniques can make OD a key technology in future food systems.

9. Conclusion

Osmotic dehydration is a cost-effective, energy-efficient, and quality-preserving technique that bridges traditional and modern food processing. With advancements in technology and increasing demand for minimally processed foods, OD holds immense potential for transforming the horticulture sector and reducing post-harvest losses.

References

1. Asghari, A., Zongo, P. A., Osse, E. F., Aghajanzadeh, S., Raghavan, V., & Khalloufi, S. (2024). Review of osmotic dehydration: Promising technologies for enhancing products' attributes, opportunities, and challenges for the food industries. *Comprehensive Reviews in Food Science and Food Safety*, 23(3), e13346.
2. Chandra, S., & Kumari, D. (2012). Recent developments in osmotic dehydration.
3. Dahiya, U., & Rajput, R. (2025). Osmotic dehydration in food processing: A review. *European Journal of Nutrition & Food Safety*.
4. Mari, A., Parisouli, D. N., & Krokida, M. (2024). Exploring osmotic dehydration for food preservation: Methods, modelling, and modern applications. *Foods*, 13(17), 2783. <https://doi.org/10.3390/foods13172783>
5. Pandiselvam, R., et al. (2022). Advanced osmotic dehydration techniques.
6. Sriraaman, M., et al. (2021). Scope of osmotic dehydration in startup industries.
7. Yadav, A. K., & Singh, S. V. (2014). Osmotic dehydration of fruits and vegetables: A review. *Journal of Food Science and Technology*, 51(9), 1654–1673.