

Urban & Vertical Vegetable Production: A Scientific Appraisal of Resource Efficiency and Sustainability

Abika Chauhan^{1*}, Dr. Santosh Kumari², Harsh Pathania¹ and Abhay Thakur³

¹M.Sc. Student, Department of Vegetable Science, COHF, Neri, Dr. YSPUHF, Nauni, Solan, Himachal Pradesh, India

²Senior Scientist, Department of Vegetable Science, COHF, Neri, Dr. YSPUHF, Nauni, Solan, Himachal Pradesh, India

³M. Sc. Student, Agricultural Extension Education, COHF, Neri, Dr. YSPUHF, Nauni, Solan, Himachal Pradesh, India

*¹Corresponding author email- abikachauhan28@gmail.com

Article ID: 25004

1. Introduction

Urban agriculture refers to the cultivation, processing and distribution of food within or around urban areas, including rooftop farming, community gardens and peri-urban agriculture. Vertical farming, a subset of urban agriculture, involves growing crops in vertically stacked layers under controlled conditions. Controlled Environment Agriculture (CEA) encompasses technologies that regulate environmental factors such as light, temperature, humidity and nutrient supply to maximize crop productivity.

The increasing global population, projected to reach 9.7 billion by 2050, alongside rapid urbanization (68% urban population by 2050), has intensified pressure on food systems (UN DESA, 2019). Simultaneously, arable land per capita is declining due to land degradation and urban expansion (FAO, 2020). These challenges necessitate innovative agricultural approaches capable of producing more with fewer resources.

Urban agriculture currently contributes approximately 5–10% of global vegetable production (FAO, 2020), indicating its growing role in enhancing food security and nutritional availability in cities. Vertical farming further strengthens this potential by enabling intensive production in limited spaces, independent of climatic constraints.

2. Concept and Types of Urban & Vertical Vegetable Production

2.1. Urban Farming Systems

Urban agriculture manifests in several forms:

- **Rooftop Farming:** Utilizes unused urban rooftops for vegetable cultivation. It improves insulation and reduces urban heat island effects.
- **Peri-Urban Farming:** Located on city outskirts, supplying fresh vegetables to urban markets with reduced transportation costs.
- **Community Gardens:** Shared spaces managed by local communities, promoting social cohesion and food access.

2.2. Vertical Farming Systems

- **Hydroponics:** Plants grow in nutrient-rich water solutions without soil. Nutrients are precisely controlled, improving efficiency.
- **Aeroponics:** Roots are suspended in air and misted with nutrient solutions, maximizing oxygen availability and nutrient uptake.
- **Aquaponics:** Integrates fish farming with plant cultivation, where fish waste provides nutrients for plants, creating a closed-loop system.


Each system is grounded in plant physiological principles, particularly nutrient uptake, root-zone oxygenation and water-use efficiency.

3. Scientific Basis of Vertical Farming

Vertical farming relies on precise manipulation of environmental variables:

- **Light Management:** LED lighting systems provide specific wavelengths (blue: vegetative growth; red: flowering). Optimized light spectra enhance photosynthetic efficiency and biomass production (Kozai et al., 2016).
- **Nutrient Delivery:** Hydroponic nutrient solutions are formulated based on crop requirements, ensuring balanced macro- and micronutrient supply.
- **Climate Control:** Temperature, humidity and CO₂ levels are regulated to maintain optimal growth conditions, minimizing stress and maximizing yield.
- **AI and Automation:** Sensors, IoT devices, and machine learning algorithms monitor plant health, nutrient levels, and environmental parameters, enabling precision agriculture within indoor systems.

Recent advancements include automated vertical farms using robotic harvesting and AI-driven climate control systems, improving efficiency and reducing labour dependency.



Source – Infographic prepared via Google notebook LM

4. Resource Efficiency Analysis

Vertical farming systems are often promoted for their superior resource-use efficiency. However, a critical scientific comparison is essential.

Comparative Resource Efficiency

Parameter	Conventional Farming	Vertical Farming
Land Use	High	Very low
Water Use	High	Up to 90% less
Yield per Unit Area	Baseline	Up to 10× higher
Pesticide Use	High	Minimal
Climate Dependence	High	Fully controlled

- **Water Efficiency:** Closed-loop hydroponic systems recycle water, reducing consumption by up to 90% compared to traditional farming (Despommier, 2010; FAO, 2020).
- **Yield Enhancement:** Vertical stacking and continuous production cycles enable yields up to 10 times higher per unit area (Benke & Tomkins, 2017).

- **Land Optimization:** By utilizing vertical space, these systems drastically reduce land requirements, making them suitable for dense urban areas.

However, these gains must be evaluated alongside energy inputs, particularly for lighting and climate control.

5. Economic and Energy Considerations

Vertical farming requires significant capital investment, typically ranging from ₹8 lakh for small-scale setups to over ₹1.5 crore for commercial operations in India.

Cost Components

- **Initial Investment:** Infrastructure, LED lighting, climate control systems
- **Operational Costs:**
 - Energy (largest component)
 - Nutrient solutions
 - Skilled labor or automation systems

Energy consumption is a critical limitation. Studies indicate that electricity costs can account for up to 30–50% of total operational expenses (Kalantari et al., 2017).

Despite high costs, vertical farms can achieve profitability through:

- Premium pricing of pesticide-free produce
- Consistent year-round production
- Proximity to urban markets reducing logistics costs

6. Environmental Sustainability Analysis

6.1. Benefits

- **Reduced Carbon Footprint:** Localized production minimizes transportation emissions.
- **Water Conservation:** Efficient recycling systems reduce freshwater usage.
- **Minimal Chemical Inputs:** Controlled environments reduce pest incidence.

6.2. Limitations

- **High Energy Demand:** Artificial lighting and climate control increase carbon footprint if powered by non-renewable energy.
- **Infrastructure Footprint:** Construction and materials contribute to embodied energy.

A balanced assessment suggests that sustainability benefits depend heavily on the energy source. Integration with renewable energy systems is crucial.

7. Case Studies and Practical Examples

7.1. Global Context

- **Singapore:** Due to land scarcity, vertical farms like Sky Greens have successfully integrated hydraulic systems for vegetable production.
- **Netherlands:** Advanced greenhouse technologies combine hydroponics and climate control to achieve high productivity.

7.2. Indian Context

India is witnessing a rise in urban farming startups focusing on hydroponic leafy greens and herbs. Cities like Delhi, Mumbai, and Bengaluru are emerging hubs for vertical farming initiatives. These systems cater to niche markets, including hotels, supermarkets, and health-conscious consumers.

8. Challenges and Constraints

- **High Initial Investment:** Limits adoption among small-scale farmers
- **Technical Expertise:** Requires knowledge of plant physiology, engineering, and automation
- **Energy Dependency:** Vulnerability to power costs and supply disruptions
- **Scalability Issues:** Difficult to scale economically for staple crops

These constraints highlight the need for technological innovation and policy support.

9. Future Prospects

Vertical farming is expected to play a significant role in:

- **Smart Cities:** Integration into urban infrastructure
- **Climate-Resilient Agriculture:** Protection against extreme weather
- **Food Security:** Localized, reliable food production

Policy Recommendations for India

- Subsidies for renewable energy integration
- Skill development programs in CEA technologies

- Financial support for startups and small entrepreneurs
- Inclusion in urban planning policies

10. Conclusion

Urban and vertical vegetable production systems represent a scientifically robust approach to addressing modern agricultural challenges. They offer significant advantages in resource efficiency, productivity, and sustainability. However, their limitations—particularly energy consumption and high costs—cannot be overlooked.

Rather than replacing conventional agriculture, vertical farming should be viewed as a complementary system, particularly suited for high-value crops and urban environments. A balanced integration of traditional and modern agricultural practices will be essential for building resilient and sustainable food systems.

References

1. Benke, K., & Tomkins, B. (2017). Future food-production systems: vertical farming. *Sustainability*, 9(1), 1–18.
2. Despommier, D. (2010). *The Vertical Farm: Feeding the World in the 21st Century*. Thomas Dunne Books.
3. FAO. (2020). *The State of Food and Agriculture 2020*. Food and Agriculture Organization.
4. Kalantari, F., et al. (2017). Opportunities and challenges in sustainability of vertical farming. *Journal of Landscape Ecology*, 11(1), 35–60.
5. Kozai, T., Niu, G., & Takagaki, M. (2016). *Plant Factory: An Indoor Vertical Farming System*. Academic Press.
6. UN DESA. (2019). *World Urbanization Prospects 2018*. United Nations.
7. Al-Chalabi, M. (2015). Vertical farming: Skyscraper sustainability? *Sustainable Cities and Society*, 18, 74–77.
8. Beacham, A. M., et al. (2019). Vertical farming: A summary of approaches. *Horticulture Research*, 6(1), 1–13.
9. Specht, K., et al. (2014). Urban agriculture of the future. *Sustainability*, 6(1), 403–427.
10. Graamans, L., et al. (2018). Plant factories vs greenhouses. *Biosystems Engineering*, 160, 16–31.

11. Touliatos, D., et al. (2016). Environmental impact of indoor farming. *Energy and Buildings*, 120, 139–149.
12. Shamshiri, R. R., et al. (2018). Advances in greenhouse technologies. *Renewable and Sustainable Energy Reviews*, 94, 1040–1059.
13. Eigenbrod, C., & Gruda, N. (2015). Urban vegetable production systems. *Food Security*, 7(2), 483–498.